

mino a
design radiator

design your radiator
for your living space

minoa

design radiator

COLLECTION' 2023

World's Thinnest Design Radiators

Minoa Design radiators are the thinnest known radiators in the world.

With completely flat surface and distinctive design options, they are not just for heating, but rather a complementary design object for the interior designers.

As design enthusiasts, we respect the environment and therefore developed eco-friendly Minoa Design Radiators.

Uniquely developed laser based production technology minimizes the energy consumption at production level of Minoa products.

Moreover with its thinnest structure, Minoa Design Radiators work with up to 10 times less water.

Resources are used to heat up the room, rather than heating up extra water.

From 1st January 2018 the requirements foreseen in the EU Regulation 2015/118 for all electric local space heaters enter into force.

In this context Minoa Design presents the new series of ErP electric radiators, which are all compatible with Ecodesign directives and characterized by maximum attention to energy saving that ensures great efficiency.

All the ErP Minoa Design radiators are equipped with three feature of:

- electronic temperature control
- opening window detector
- weekly scheduler
- stand-by



AT EACH PRODUCT DESIGN WE CHALLENGE OURSELVES,
IMPROVING THE DESIGN AND THE TECHNOLOGY
TO ENCHANCE ENERGY EFFICIENCY FOR OUR PRODUCTS.

smart | *electric version available*

Advantages:

- Solid & Minimalist rectangular design
- Highly customizable with interchangeable accessories concept
- Vertically adjustable, easily mountable accessories

MODEL	H (mm)	W (mm)	Watt / Δ50 °	Towel Bar
Smart 1590x250	1590	250	375	
Smart 1790x250	1790	250	422	
Smart 1590x350	1590	350	524	
Smart 1790x350	1790	350	590	
Smart 1590x450	1590	450	674	
Smart 1790x450	1790	450	759	
Smart 1990x450	1990	450	844	
Smart 1590x550	1590	550	824	different towel bar options are available
Smart 1790x550	1790	550	927	
Smart 1990x550	1990	550	1031	
Smart 2190x550	2190	550	1135	
Smart 1590x650	1590	650	974	
Smart 1790x650	1790	650	1096	
Smart 1990x650	1990	650	1219	
Smart 2190x650	2190	650	1341	

** 50 mm pipe centers.





smart | accessories



** please contact for more info on accessories.

dots

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$
Dots 1600	1590	550	824
Dots 1800	1790	550	927
Dots 2000	1990	550	1031
Dots 2200	2190	550	1135

** 50 mm pipe centers.

loops



MODEL	H (mm)	W (mm)	Watt / Δ50 °
Loops 1500	1490	490	726
Loops 1800	1790	490	855

** 50 mm pipe centers.

coco

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / Δ50 °
Coco 1600	1590	490	788
Coco 1800	1790	490	888

** 50 mm pipe centers.

eyes | *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
Eyes 1600	1590	550	824	different towel bar
Eyes 1800	1790	550	927	options are available
Eyes 2000	1990	550	1031	

** 50 mm pipe centers.



surf

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / Δ50 °
Surf 1790X390	1790	390	595
Surf 1990X390	1990	390	66

** 50 mm pipe centers.

new wave | *electric version available*



MODEL	H (mm)	W (mm)	Watt / Δ50 °
New Wave 1790x490	1790	490	854
New Wave 1990x490	1990	490	973

** 50 mm pipe centers.

sigma



MODEL	H (mm)	W (mm)	Watt / Δ50 °
Sigma 800	800	600	351
Sigma 1100	1100	600	477
Sigma 1400	1400	600	598
Sigma 1700	1712	600	721

** 50 mm pipe centers.

sup

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / Δ50 °
SUP 1800	1790	490	706
SUP 2000	1990	490	785

** 50 mm pipe centers.

buckle



MODEL	H (mm)	W (mm)	Watt / Δ50 °
Buckle 1800	1790	490	605

** 50 mm pipe centers.

pan-el | *basic / control / smart*




MODEL	H (mm)	W (mm)
Pan-el 600x590	600	590
Pan-el 600x790	600	790
Pan-el 600x990	600	990
Pan-el 600x1190	600	1190
Pan-el 600x1390	600	1390

neat

Decaorative alternative to standard panel radiators.

Advantages:

- Flat surface
- Slim design





MODEL	H (mm)	W (mm)	Watt / Δ50 °
Neat 270x390	270	390	105
Neat 270x590	270	590	159
Neat 270x790	270	790	213
Neat 270x990	270	990	267
Neat 270x1190	270	1190	321
Neat 270x1390	270	1390	375
Neat 370x390	370	390	144
Neat 370x590	370	590	218
Neat 370x790	370	790	292
Neat 370x990	370	990	366
Neat 370x1190	370	1190	439
Neat 370x1390	370	1390	513
Neat 470x390	470	390	181
Neat 470x590	470	590	275
Neat 470x790	470	790	368
Neat 470x990	470	990	461
Neat 470x1190	470	1190	554
Neat 470x1390	470	1390	647
Neat 570x390	570	390	217
Neat 570x590	570	590	329
Neat 570x790	570	790	440
Neat 570x990	570	990	551
Neat 570x1190	570	1190	663
Neat 570x1390	570	1390	774

** 50 mm pipe centers.



fog



MODEL	H (mm)	W (mm)	Watt / Δ50 °
Fog 600x800	592	790	431
Fog 800x1100	790	1100	783

** 50 mm pipe centers.




ladder



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$
Ladder 1200	1190	450	485
Ladder 1400	1390	450	560
Ladder 1600	1590	450	635

** 320 mm pipe centers.



luna | *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$
Luna 1200	1190	490	515
Luna 1600	1590	490	705

** 50 mm pipe centers.

terra | *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$
Terra 1200	1190	490	631
Terra 1600	1590	490	740

** 50 mm pipe centers.

totem | *electric version available*



MODEL	H (mm)	W (mm)	Watt / Δ60 °
Totem 800	790	490	286
Totem 1200	1190	490	429

** 50 mm pipe centers.



pillow | *max. efficiency*

Highest thermal output with minimum sizes,
best choice for projects.

MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
Pillow 1000	970	450	444	2
Pillow 1200	1170	450	537	2
Pillow 1400	1370	450	629	2
Pillow 1600	1570	450	735	2
Pillow 1800	1770	450	829	2
Pillow 2000	1970	450	923	2

** 50 mm pipe centers.





plate 470&570

| *inox finish available*

| *electric version available*

MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
Plate470 1000	990	470	442	1&2
Plate470 1200	1190	470	531	1&2
Plate470 1400	1390	470	620	1&2
Plate470 1500	1490	470	656	1&2&3
Plate470 1600	1590	470	704	1&2&3
Plate470 1800	1790	470	793	1&2&3
Plate470 2000	1990	470	881	1&2&3
Plate570 1000	990	570	536	1&2
Plate570 1200	1190	570	644	1&2
Plate570 1400	1390	570	752	1&2
Plate570 1500	1490	570	800	1&2&3
Plate570 1600	1590	570	854	1&2&3
Plate570 1800	1790	570	961	1&2&3
Plate570 2000	1990	570	1069	1&2&3

** 50 mm pipe centers.





ECO SERIES
REPLACEMENT SERIES

LOW ENERGY, HIGH EFFICIENCY

Thermal capacity of Eco Series are %30 higher than standard towel rails and have upto 10 times less water volume which provides significant energy conservation at initial heating up.

IMPRESSIVE DESIGN

Minoa Design radiators have only 7mm thickness and offer significant m² advantage for little places.

Replacement Series contain design radiators with 455 mm pipe centers which is compatible with the installation of standard towel rails with 500 mm width.

eco mp

| inox

| electric version available



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
EcoMP 800	790	290	150	1&2
EcoMP 1000	990	290	188	1&2
EcoMP 1200	1190	290	226	1&2

** 50 mm pipe centers.

eco plate

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
EcoPlate 800	790	290	226	1&2
EcoPlate 1000	990	290	283	1&2
EcoPlate 1200	1190	290	340	1&2

** 50 mm pipe centers.

eco nova

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
EcoNova 800	790	310	227	1&2
EcoNova 1000	990	310	286	1&2
EcoNova 1200	1190	310	345	1&2

** 50 mm pipe centers.

eco wave

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
EcoWave 1000	990	353	303	1&2
EcoWave 1200	1190	353	365	1&2

** 50 mm pipe centers.

eco bp

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
EcoBP 1000	990	310	302	1&2
EcoBP 1200	1190	310	365	1&2
EcoBP 1500	1490	310	457	1&2

** 50 mm pipe centers.

eco surf

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
EcoSurf 1000	990	280	240	1
EcoSurf 1500	1490	390	500	1&2

** 50 mm pipe centers.

eco e

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$
EcoE 870	866	360	246
EcoE 1040	1034	416	341

** 50 mm pipe centers.

mipy

| inox

| electric version available



MODEL	H (mm)	W (mm)	Watt / Δ50 °	Towel Bar
Mipy 800	790	372	185	1&2
Mipy 1000	990	372	232	1&2
Mipy 1200	1190	372	279	1&2

** 455 mm pipe centers.

edgy

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
Edgy 800	790	372	279	1&2
Edgy 1000	990	372	349	1&2
Edgy 1200	1190	372	420	1&2

** 455 mm pipe centers.

roundy

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
Roundy 800	790	372	276	1&2
Roundy 1000	990	372	347	1&2
Roundy 1200	1190	372	417	1&2

** 455 mm pipe centers.

wavy

| *electric version available*



MODEL	H (mm)	W (mm)	Watt / $\Delta 50^\circ$	Towel Bar
Wavy 800	790	402	273	1&2
Wavy 1000	990	402	348	1&2
Wavy 1200	1190	402	417	1&2

** 455 mm pipe centers.


Finish




RAL 9016 White




RAL 7016 Anthracite




RAL 9005 Black



Platinum Mirror Effect



Gold Mirror Effect



Brushed Effect

Certificates



5 years warranty
Tested according to EN442



*mino*a

design radiator

TEKPAR MÜHENDİSLİK A.Ş.
M.O.S.B 4.Kısım Zeki Şairođlu Cad. No:1
Yunusemre Manisa/TURKEY

Tel: +90 (236) 213 06 30
Fax: +90 (236) 213 06 32

info@minoadesign.com
export@minoadesign.com

EDITION 03/23

www.minoadesign.com